







WN 056668 45532
01 03/06






WN 056668 45532
02 03/06LH_{max}: 3 000 mm Größere Höhen auf Anfrage bei DORMA Ennepetal

Higher passage height on request

Profile/Zubehör Profils/accessories Perfiles/Accesorios	Artikelnummer Article-number Número artículo	Bezeichnung Name Descripción	Zuschnittsformel Cutting Formula Fórmula de corte	St. pc. Pz.
		Glasscheibe Glas pane	$GB = \frac{LW}{2} + 28$ $GH = LH - 43$	1
	325 182-xx-1-20 01 - roh / mill finish 02 - E6 / CO	Klemmleiste	L = GB	2
	325 371-xx-1-20 01 - roh / mill finish 02 - E6 / CO	Halteleiste Holding rail	L = GB	2
	255 069-xx-1-20 01 - roh / mill finish 02 - E6 / CO	Justierbügelprofil Justable bracket profile	L = GB	2
	325 184-01-1-20 E6 / CO	Ausgleichsleiste Compensation rail	L = GB	4
	334 143-xx-1-40 01 - 1500 x 2 mm 02 - 1500 x 1 mm 03 - 1000 x 2 mm 04 - 1000 x 1 mm	Hakosilstreifen	L = GB	4
	256 203-xx-1-40 Rechts / Right 01 - roh / mill finish 02 - E6 / CO 03 - RAL Links / Left 04 - roh / mill finish 05 - E6 / CO 06 - RAL	Stirnplatte End cover	2 rechts / right 2 links / left	4
	256 255-xx-1-40 01 - rechts / right 02 - links / left	Mittenanschlagwinkel centre stop angle	1 x rechts / right 1 x links / left	2
		Montageset Installation set		



WN 056668 45532
03 03/06



Änderungen vorbehalten
Subject to change without notice

